THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE Proceedings Part I

Solid-State and Electron Devices

Vol. 128, 1981

Published by
The IEE Savoy Place, London WC2R 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ

IEE Proceedings Part I

SOLID-STATE AND ELECTRON DEVICES

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

Volume 128 1981 UK ISSN 0143– 7100

HONORARY EDITORS

Dr. J.E.Carroll (University of Cambridge)
Prof. J. Mavor (University of Edinburgh)

Pages in issues of *IEE Proceedings Part I*, 1981

Pages	Issue no.	Date
1–36	1	February
37–72	2	April
73–108	3	June
109–160	4	August
161–192	5	October
193–248	6	December

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made in the USA for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per-copy fee through the Copyright Clearance Center, Inc. for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes for creating new collective works or for resale.

Photocopies of individual papers published in the IEE Proceedings can be obtained from the IEE Library at 10p a page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1981: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty; *Managing Editor*: Bernard Dunkley;
Assistant Editor: Laurence Marchini; *Graphics Manager*: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Alden Press (London and Northampton) Ltd., England
Printed in England by: Unwin Brothers Ltd. Old Woking, Surrey

INDEX

IEE Proceedings Part I
Solid-State and Electron Devices
Vol. 128, 1981

Abbreviations
- p Paper, address or lecture
- d Discussion on a paper
- a Abstract of paper or address
- e Errata
- s Synopsis of a paper published in full in another Part of the IEE Proceedings

IEE Commissioned Review

Morgan, D.V., Eisen, F.H., and Ezis, A. Prospects for ion bombardment and ion implantation in GaAs and InP device fabrication p109

Author index

A

Abbasi, S.A., and Brunnschweiler, A. Effects of masking oxide on diffusion into silicon p185
Ahmed, H., and Phang, J.C.H. see Phang, J.C.H.
Al-Refraie, S.N., and Carroll, J.E. Indium phosphide oxide on InP for MOSFET applications 207

B

Backensto, W.V., and Viswanathan, C.R. Measurement of interface state characteristics of MOS transistor utilising charge-pumping techniques p44
Ballay, N., and Baylac, B. Analytical modelling of depletion-mode MOSFET transistor with short- and narrowed-channel effects 225
Barry, B.E., Mun, J., and Phillips, J.A. see Mun, J.
Baylac, B., and Ballay, N. see Ballay, N.
Board, K., and Darwish, M. see Darwish, M.
Board, K., Morgan, D.V., Ohno, H., Wood, C.E.C., Schaff, W.J., and Eastman, L.F. see Morgan, D.V.
Bonnaud, O., and Chante, J.P. Local bipolar-transistor gain measurement for VLSI devices p148
Brunnschweiler, A., and Abbasi, S.A. see Abbasi, S.A.
Brunnschweiler, A., and Kwan, K.W. see Kwan, K.W.
Bujatti, M., and Marcelja, F. Characterisation of ion-implanted layers for GaAs FETs p97
Buxo, J., Sarrabayrouse, G., Sebaa, J.-P., and Essaid, A. see Sarrabayrouse, G.

C

Calligaro, R.B., Moustakas, S., Dell, J., and Nassibian, A.G. Optical transient switching measurements on metal-insulator (tunnel)-silicon thyristor at 0.85 μm wavelength p174
Calligaro, R.B., and Nassibian, A.G. Switching transients in metal-insulator (tunnel)-silicon thyristor under base voltage drive 211
Calligaro, R.B., Moustakas, S., Dell, J.M., Nassibian, A.G., and Hullett, J.L. see Moustakas, S.
Carroll, J.E., and Al-Refraie, S.N. see Al-Refraie, S.N.
Chante, J.P., and Bonnaud, O. see Bonnaud, O.
Cohen, D., Golja, B., and Nassibian, A.G. see Golja, B.
Cronin, J.L. Modern dispenser cathodes p19

D

Darwish, M., and Board, K. Experimental observation of switching in MISM and MISIM devices p161
Darwish, M., and Board, K. Theory of switching in MISIM structures p165
Dell, J., Calligaro, R.B., Moustakas, S., and Nassibian, A.G. see Calligaro, R.B.
Dell, J.M., Moustakas, S., Calligaro, R.B., Nassibian, A.G., and Hullett, J.L. see Moustakas, S.
Denyer, P.B., and Mavor, J. MOST transconductance multipliers for array applications p81
Dharmasa, I.M., Roberts, G.G., and Petty, M.C. see Roberts, G.G.

E

Eastman, L.F., Morgan, D.V., Ohno, H., Wood, C.E.C., Schaff, W.J., and Board, K. see Morgan, D.V.
Eisen, F.H., Morgan, D.V., and Ezis, A. see Morgan, D.V.
Eltoukhy, A.A., and Habib, S.E.-D. see Habib, S.E.-D.
Essaid, A., Sarrabayrouse, G., Buxo, J., and Sebaa, J.-P. see Sarrabayrouse, G.
Ezis, A., Morgan, D.V., and Eisen, F.H. see Morgan, D.V.

F

Ferguson, R.S., and Ryan, W.D. Simple model and study of charge handling and injection in charge-coupled devices 218

G

Golja, B., Nassibian, A.G., and Cohen, D. Proton-induced X-ray emission studies of generation impurities in silicon p68

H

Habib, S.E.-D., and Eltoukhy, A.A. Modelling the optical MIS thyristor p58
Hamilton, D.K. Measurements of dipole domains in indium phosphide using a new point-contact probe p61
Haus, H.A. Models of modelocking a laser diode in an external resonator e32
Hocking, R.J., and Oakley, R.E. see Oakley, R.E.
Hullett, J.L., Moustakas, S., Dell, J.M., Calligaro, R.B., and Nassibian, A.G. see Moustakas, S.

J

Jones, R., and Tredgold, R.H. see Tredgold, R.H.

K

Kwan, K.W., and Brunnschweiler, A. Measurement and interpretation of the f_T of planar transistors operating in the inverse mode p33

L

Lane, W.A., and Salama, C.A.T. Compatible VVMOS and NMOS technology for power MOS ICs p87

M

Marcelja, F., and Bujatti, M. see Bujatti, M.
Mavor, J., and Denyer, P.B. see Denyer, P.B.
Mazzone, A.M., and Rees, H.D. Transferred-electron harmonic generators for millimetre band sources e32
Moglestue, C. Monte Carlo particle modelling of local heating in n-type GaAs FET p131
Morgan, D.V., Eisen, F.H., and Ezis, A. Prospects for ion bombardment and ion implantation in GaAs and InP device fabrication (Commissioned IEE Review) p109
Morgan, D.V., Ohno, H., Wood, C.E.C., Schaff, W.J., Board, K., and Eastman, L.F. Characterisation of Al/AlInAs/GaInAs heterostructures p141
Moustakas, S., Dell, J.M., Calligaro, R.B., Nassibian, A.G., and Hullett, J.L. Circuit switching analysis for optically excited metal-insulator (tunnel)-silicon thyristor (MIST) p92
Moustakas, S., Calligaro, R.B., Dell, J., and Nassibian, A.G. see Calligaro, R.B.
Mun, J., Phillips, J.A., and Barry, B.E. High-yield process for GaAs enhancement-mode MESFET integrated circuits p144

N

Nassibian, A.G., and Calligaro, R.B. see Calligaro, R.B.
Nassibian, A.G., Calligaro, R.B., Moustakas, S., and Dell, J. see Calligaro, R.B.
Nassibian, A.G., Golja, B., and Cohen, D. see Golja, B.
Nassibian, A.G., Moustakas, S., Dell, J.M., Calligaro, R.B., and Hullett, J.L. see Moustakas, S.
Nielsen, O.M. Current mechanism of tunnel m.i.s. solar cells e32

O

Oakley, R.E., and Hocking, R.J. CASMOS - an accurate MOS model with geometry-dependent parameters: I 239
Ohno, H., Morgan, D.V., Wood, C.E.C., Schaff, W.J., Board, K., and Eastman, L.F. see Morgan, D.V.

P

Petty, M.C., Roberts, G.G., and Dharmasa, I.M. see Roberts, G.G.
Phang, J.C.H., and Ahmed, H. Experimental and theoretical investigations of parameters controlling line profiles in electron-beam lithography p1

Phillips, J.A., Mun, J., and Barry, B.E. see Mun, J.
Platte, W. Microwave switching performance of high-speed optoelectronic switches: An efficiency comparison of the basic types 193

R

Rees, H.D., and Mazzone, A.M. see Mazzone, A.M.
Roberts, G.G., Petty, M.C., and Dharmasa, I.M. Photovoltaic properties of cadmium-telluride/Langmuir-film solar cells 197
Rozzi, T.E., and Shore, K.A. see Shore, K.A.
Ryan, W.D., and Ferguson, R.S. see Ferguson, R.S.

S

Salama, C.A.T., and Lane, W.A. see Lane, W.A.
Sarrabayrouse, G., Buxo, J., Sebaa, J.-P., and Essaid, A. Switching properties of inversion-controlled metal-thin insulator-Si(n)-Si(p^+) devices p53
Schaff, W.J., Morgan, D.V., Ohno, H., Wood, C.E.C., Board, K., and Eastman, L.F. see Morgan, D.V.
Sears, J.L., and Weiss, B.L. see Weiss, B.L.
Sebaa, J.-P., Sarrabayrouse, G., Buxo, J., and Essaid, A. see Sarrabayrouse, G.
Shannon, J.M. Calculated performance of monolithic hot-electron transistors p134
Shore, K.A. Above-threshold analysis of channelled-substrate-planar (CSP) laser p9
Shore, K.A., and Rozzi, T.E. Stability analysis of transverse modes in stripe-geometry injection lasers p154

T

Thompson, G.H.B. Temperature dependence of threshold current in (GaIn) (AsP) DH lasers at 1.3 and 1.5 μm wavelength p37
Tredgold, R.H., and Jones, R. Schottky-barrier diodes incorporating Langmuir-film interfacial monolayers 202
Tucker, R.S. Circuit model of double-heterojunction laser below threshold p101
Tucker, R.S. Large-signal circuit model for simulation of injection-laser modulation dynamics p180

V

Viswanathan, C.R., and Backensto, W.V. see Backensto, W.V.

W

Weiss, B.L., and Sears, J.L. Publish and retrieve materials data with EMIS p189
Wood, C.E.C., Morgan, D.V., Ohno, H., Schaff, W.J., Board, K., and Eastman, L.F. see Morgan, D.V.
Wu, Ching-Yuan., and Wu, Chung-Yu. see Wu, Chung-Yu.
Wu, Chung-Yu., and Wu, Ching-Yuan. Characterisations and design considerations of lambda bipolar transistor (LBT) p73

Subject index

BIPOLAR DEVICES

Characterisations and design considerations of lambda bipolar transistor (LBT). Chung-Yu.Wu and Ching-Yuan.Wu p73
Local bipolar-transistor gain measurement for VLSI devices. O.Bonnaud and J.P.Chante p148
Measurement and interpretation of the f_T of planar transistors operating in the inverse mode. K.W.Kwan and A.Brunnschweiler p33

BREAKDOWN AND GAS DISCHARGES

Prospects for ion bombardment and ion implantation in GaAs and InP device fabrication. D.V.Morgan, F.H.Eisen and A.Ezis p109

CHARGE CARRIERS

Simple model and study of charge handling and injection in charge-coupled devices. R.S.Ferguson and W.D.Ryan 218

CHARGE-COUPLED DEVICES

Simple model and study of charge handling and injection in charge-coupled devices. R.S.Ferguson and W.D.Ryan 218

CIRCUIT THEORY AND DESIGN

Circuit model of double-heterojunction laser below threshold. R.S.Tucker p101
Large-signal circuit model for simulation of injection-laser modulation dynamics. R.S.Tucker p180

COMPONENTS

Transferred-electron harmonic generators for millimetre band sources. A.M.Mazzone and H.D.Rees e32

COMPUTER APPLICATIONS

CASMOS - an accurate MOS model with geometry-dependent parameters: I. R.E.Oakley and R.J.Hocking 239

DIODES

Characterisation of Al/AlInAs/GaInAs heterostructures. D.V.Morgan, H.Ohno, C.E.C.Wood, W.J.Schaff, K.Board and L.F.Eastman p141
Models of modelocking a laser diode in an external resonator. H.A.Haus e32
Schottky-barrier diodes incorporating Langmuir-film interfacial monolayers. R.H.Tredgold and R.Jones 202

DOPING

Effects of masking oxide on diffusion into silicon. S.A.Abbasi and A.Brunnschweiler p185
Temperature dependence of threshold current in (GaIn) (AsP) DH lasers at 1.3 and 1.5 μm wavelength. G.H.B.Thompson p37

ELECTRON DEVICES

Calculated performance of monolithic hot-electron transistors. J.M.Shannon p134
Experimental and theoretical investigations of parameters controlling line profiles in electron-beam lithography. J.C.H.Phang and H.Ahmed p1
Modern dispenser cathodes. J.L.Cronin p19

ELECTRON TUBES

Models of modelocking a laser diode in an external resonator. H.A.Haus e32

ENERGY CONVERSION AND STORAGE

Current mechanism of tunnel m.i.s. solar cells. O.M.Nielsen e32
Photovoltaic properties of cadmium-telluride/Langmuir-film solar cells. G.G.Roberts, M.C.Petty and I.M.Dharmasa 197
Prospects for ion bombardment and ion implantation in GaAs and InP device fabrication. D.V.Morgan, F.H.Eisen and A.Ezis p109

FIELD-EFFECT TRANSISTORS

Characterisation of Al/AlInAs/GaInAs heterostructures. D.V.Morgan, H.Ohno, C.E.C.Wood, W.J.Schaff, K.Board and L.F.Eastman p141
Characterisation of ion-implanted layers for GaAs FETs. M.Bujatti and F.Marcelja p97
Characterisations and design considerations of lambda bipolar transistor (LBT). Chung-Yu.Wu and Ching-Yuan.Wu p73
High-yield process for GaAs enhancement-mode MESFET integrated circuits. J.Mun, J.A.Phillips and B.E.Barry p144
Monte Carlo particle modelling of local heating in n-type GaAs FET. C.Moglestue p131
MOST transconductance multipliers for array applications. P.B.Denyer and J.Mavor p81
Prospects for ion bombardment and ion implantation in GaAs and InP device fabrication. D.V.Morgan, F.H.Eisen and A.Ezis p109

FILTERS, FILTERING AND PREDICTION THEORY

MOST transconductance multipliers for array applications. P.B.Denyer and J.Mavor p81

INFORMATION AND COMMUNICATION THEORY

Publish and retrieve materials data with EMIS. B.L.Weiss and J.L.Sears p189

INSTRUMENTATION AND MEASURING SCIENCE

Effects of masking oxide on diffusion into silicon. S.A.Abbasi and A.Brunnschweiler p185
Measurement of interface state characteristics of MOS transistor utilising charge-pumping techniques. W.V.Backensto and C.R.Viswanathan p44
Measurements of dipole domains in indium phosphide using a new point-contact probe. D.K.Hamilton p61

INTEGRATED CIRCUITS

Compatible VVMOS and NMOS technology for power MOS ICs. W.A.Lane and C.A.T.Salama p87
Experimental and theoretical investigations of parameters controlling line profiles in electron-beam lithography. J.C.H.Phang and H.Ahmed p1
High-yield process for GaAs enhancement-mode MESFET integrated circuits. J.Mun, J.A.Phillips and B.E.Barry p144
Local bipolar-transistor gain measurement for VLSI devices. O.Bonnaud and J.P.Chante p148
Measurement and interpretation of the f_T of planar transistors operating in the inverse mode. K.W.Kwan and A.Brunnschweiler p33
Prospects for ion bombardment and ion implantation in GaAs and InP device fabrication. D.V.Morgan, F.H.Eisen and A.Ezis p109

INTERFACE STATES

Measurement of interface state characteristics of MOS transistor utilising charge-pumping techniques. W.V.Backensto and C.R.Viswanathan p44

LASERS

Above-threshold analysis of channelled-substrate-planar (CSP) laser. K.A.Shore p9
Circuit model of double-heterojunction laser below threshold. R.S.Tucker p101
Large-signal circuit model for simulation of injection-laser modulation dynamics. R.S.Tucker p180
Models of modelocking a laser diode in an external resonator. H.A.Haus e32
Stability analysis of transverse modes in stripe-geometry injection lasers. K.A.Shore and T.E.Rozzi p154
Temperature dependence of threshold current in (GaIn) (AsP) DH lasers at 1.3 and 1.5 μm wavelength. G.H.B.Thompson p37

LOGIC

High-yield process for GaAs enhancement-mode MESFET integrated circuits. J.Mun, J.A.Phillips and B.E.Barry p144

METAL-INSULATOR-SEMICONDUCTOR STRUCTURES

Current mechanism of tunnel m.i.s. solar cells. O.M.Nielsen e32
Experimental observation of switching in MISM and MISIM devices. M.Darwish and K.Board p161
Modelling the optical MIS thyristor. S.E.-D.Habib and A.A.Eltoukhy p58
Optical transient switching measurements on metal-insulator (tunnel)-silicon thyristor at 0.85 μm wavelength. R.B.Calligaro, S.Moustakas, J.Dell and A.G.Nassibian p174
Photovoltaic properties of cadmium-telluride/Langmuir-film solar cells. G.G.Roberts, M.C.Petty and I.M.Dharmasa 197
Switching properties of inversion-controlled metal-thin insulator-Si(n)-Si(p^+) devices. G.Sarrabayrouse, J.Buxo, J.-P.Sebaa and A.Essaid p53
Switching transients in metal-insulator (tunnel)-silicon thyristor under base voltage drive. R.B.Calligaro and A.G.Nassibian 211
Theory of switching in MISIM structures. M.Darwish and K.Board p165

METAL-OXIDE-SEMICONDUCTOR STRUCTURES

Analytical modelling of depletion-mode MOSFET transistor with short- and narrowed-channel effects. N.Ballay and B.Bayiac 225
CASMOS - an accurate MOS model with geometry-dependent parameters: I. R.E.Oakley and R.J.Hocking 239
Characterisations and design considerations of lambda bipolar transistor (LBT). Chung-Yu.Wu and Ching-Yuan.Wu p73
Circuit switching analysis for optically excited metal-insulator (tunnel)-silicon thyristor (MIST). S.Moustakas, J.M.Dell, R.B.Calligaro, A.G.Nassibian and J.L.Hullett p92
Compatible VVMOS and NMOS technology for power MOS ICs. W.A.Lane and C.A.T.Salama p87
Indium phosphide oxide on InP for MOSFET applications. S.N.Al-Refraie and J.E.Carroll 207
Measurement of interface state characteristics of MOS transistor utilising charge-pumping techniques. W.V.Backensto and C.R.Viswanathan p44
MOST transconductance multipliers for array applications. P.B.Denyer and J.Mavor p81

MICROWAVE CIRCUITS AND NETWORKS

Microwave switching performance of high-speed optoelectronic switches: An efficiency comparison of the basic types. W.Platte 193

OPTOELECTRONIC EFFECTS, DEVICES AND SYSTEMS

Microwave switching performance of high-speed optoelectronic switches: An efficiency comparison of the basic types. W.Platte 193
Prospects for ion bombardment and ion implantation in GaAs and InP device fabrication. D.V.Morgan, F.H.Eisen and A.Ezis p109

PHOTOELECTRIC DEVICES

Prospects for ion bombardment and ion implantation in GaAs and InP device fabrication. D.V.Morgan, F.H.Eisen and A.Ezis p109

SCHOTTKY-BARRIER DEVICES

Characterisation of Al/AlInAs/GaInAs heterostructures. D.V.Morgan, H.Ohno, C.E.C.Wood, W.J.Schaff, K.Board and L.F.Eastman p141
Current mechanism of tunnel m.i.s. solar cells. O.M.Nielsen e32
Photovoltaic properties of cadmium-telluride/Langmuir-film solar cells. G.G.Roberts, M.C.Petty and I.M.Dharmasa 197
Schottky-barrier diodes incorporating Langmuir-film interfacial monolayers. R.H.Tredgold and R.Jones 202

SEMICONDUCTOR DEVICES AND MATERIALS

Above-threshold analysis of channelled-substrate-planar (CSP) laser. K.A.Shore p9
Analytical modelling of depletion-mode MOSFET transistor with short- and narrowed-channel effects. N.Ballay and B.Baylac 225
Calculated performance of monolithic hot-electron transistors. J.M.Shannon p134
CASMOS - an accurate MOS model with geometry-dependent parameters. I. R.E.Oakley and R.J.Hocking 239
Characterisation of Al/AlInAs/GaInAs heterostructures. D.V.Morgan, H.Ohno, C.E.C.Wood, W.J.Schaff, K.Board and L.F.Eastman p141
Characterisation of ion-implanted layers for GaAs FETs. M.Bujatti and F.Marcelja p97
Characterisations and design considerations of lambda bipolar transistor (LBT). Chung-Yu.Wu and Ching-Yuan.Wu p73
Circuit model of double-heterojunction laser below threshold. R.S.Tucker p101
Circuit switching analysis for optically excited metal-insulator (tunnel)-silicon thyristor (MIST). S.Moustakas, J.M.Dell, R.B.Calligaro, A.G.Nassibian and J.L.Hullett p92
Compatible VVMOS and NMOS technology for power MOS ICs. W.A.Lane and C.A.T.Salama p87
Current mechanism of tunnel m.i.s. solar cells. O.M.Nielsen e32
Effects of masking oxide on diffusion into silicon. S.A.Abbasi and A.Brunnschweiler p185
Experimental and theoretical investigations of parameters controlling line profiles in electron-beam lithography. J.C.H.Phang and H.Ahmed p1
Experimental observation of switching in MISM and MISIM devices. M.Darwish and K.Board p161
High-yield process for GaAs enhancement-mode MESFET integrated circuits. J.Mun, J.A.Phillips and B.E.Barry p144
Indium phosphide oxide on inP for MOSFET applications. S.N.Al-Refraie and J.E.Carroll 207
Large-signal circuit model for simulation of injection-laser modulation dynamics. R.S.Tucker p180
Local bipolar-transistor gain measurement for VLSI devices. O.Bonnaud and J.P.Chante p148
Measurement of interface state characteristics of MOS transistor utilising charge-pumping techniques. W.V.Backensto and C.R.Viswanathan p44
Measurements of dipole domains in indium phosphide using a new point-contact probe. D.K.Hamilton p61
Microwave switching performance of high-speed optoelectronic switches: An efficiency comparison of the basic types. W.Platte 193
Modelling the optical MIS thyristor. S.E.-D.Habib and A.A.Eltoukhy p58
Monte Carlo particle modelling of local heating in n-type GaAs FET. C.Moglestue p131
MOST transconductance multipliers for array applications. P.B.Denyer and J.Mavor p81
Optical transient switching measurements on metal-insulator (tunnel)-silicon thyristor at 0.85 μm wavelength. R.B.Calligaro, S.Moustakas, J.Dell and A.G.Nassibian p174
Photovoltaic properties of cadmium-telluride/Langmuir-film solar cells. G.G.Roberts, M.C.Petty and I.M.Dharmasa 197
Prospects for ion bombardment and ion implantation in GaAs and InP device fabrication. D.V.Morgan, F.H.Eisen and A.Ezis p109
Proton-induced X-ray emission studies of generation impurities in silicon. B.Golja, A.G.Nassibian and D.Cohen p68
Publish and retrieve materials data with EMIS. B.L.Weiss and J.L.Sears p189
Schottky-barrier diodes incorporating Langmuir-film interfacial monolayers. R.H.Tredgold and R.Jones 202
Simple model and study of charge handling and injection in charge-coupled devices. R.S.Ferguson and W.D.Ryan 218
Stability analysis of transverse modes in stripe-geometry injection lasers. K.A.Shore and T.E.Rozzi p154
Switching properties of inversion-controlled metal-thin insulator-Si(n)-Si(p^+) devices. G.Sarrabayrouse, J.Buxo, J.-P.Sebaa and A.Essaid p53
Switching transients in metal-insulator (tunnel)-silicon thyristor under base voltage drive. R.B.Calligaro and A.G.Nassibian 211
Temperature dependence of threshold current in (GaIn) (AsP) DH lasers at 1.3 and 1.5 μm wavelength. G.H.B.Thompson p37
Theory of switching in MISIM structures. M.Darwish and K.Board p165
Transferred-electron harmonic generators for millimetre band sources. A.M.Mazzone and H.D.Rees e32

SIMULATION

Analytical modelling of depletion-mode MOSFET transistor with short- and narrowed-channel effects. N.Ballay and B.Baylac 225
CASMOS - an accurate MOS model with geometry-dependent parameters: I. R.E.Oakley and R.J.Hocking 239
Modelling the optical MIS thyristor. S.E.-D.Habib and A.A.Eltoukhy p58
Monte Carlo particle modelling of local heating in n-type GaAs FET. C.Moglestue p131

STABILITY

Stability analysis of transverse modes in stripe-geometry injection lasers. K.A.Shore and T.E.Rozzi p154

SWITCHES AND SWITCHING THEORY

Circuit switching analysis for optically excited metal-insulator (tunnel)-silicon thyristor (MIST). S.Moustakas, J.M.Dell, R.B.Calligaro, A.G.Nassibian and J.L.Hullett p92
Experimental observation of switching in MISM and MISIM devices. M.Darwish and K.Board p161
Optical transient switching measurements on metal-insulator (tunnel)-silicon thyristor at 0.85 μm wavelength. R.B.Calligaro, S.Moustakas, J.Dell and A.G.Nassibian p174
Switching properties of inversion-controlled metal-thin insulator-Si(n)-Si(p^+) devices. G.Sarrabayrouse, J.Buxo, J.-P.Sebaa and A.Essaid p53
Switching transients in metal-insulator (tunnel)-silicon thyristor under base voltage drive. R.B.Calligaro and A.G.Nassibian 211
Theory of switching in MISIM structures. M.Darwish and K.Board p165

THYRISTORS AND THYRISTOR APPLICATIONS

Circuit switching analysis for optically excited metal-insulator (tunnel)-silicon thyristor (MIST). S.Moustakas, J.M.Dell, R.B.Calligaro, A.G.Nassibian and J.L.Hullett p92
Modelling the optical MIS thyristor. S.E.-D.Habib and A.A.Eltoukhy p58
Optical transient switching measurements on metal-insulator (tunnel)-silicon thyristor at 0.85 μm wavelength. R.B.Calligaro, S.Moustakas, J.Dell and A.G.Nassibian p174
Switching transients in metal-insulator (tunnel)-silicon thyristor under base voltage drive. R.B.Calligaro and A.G.Nassibian 211

TRANSISTORS

Calculated performance of monolithic hot-electron transistors. J.M.Shannon p134
Prospects for ion bombardment and ion implantation in GaAs and InP device fabrication. D.V.Morgan, F.H.Eisen and A.Ezis p109

X-RAYS

Proton-induced X-ray emission studies of generation impurities in silicon. B.Golja, A.G.Nassibian and D.Cohen p68

Book Reviews

Crystals, growth, properties and applications: B.A. Joyce p17
Crystals: Growth, properties and applications, Volume 2: H.C. Freyhardt p107
Electron transport in compound semiconductors: B.K. Ridley p16
Fundamentals of crystal growth, 1: E.A.D. White p8
Imperfections and impurities in semiconductor silicon: K.V. Ravi p192
Integrated injection logic: J.E. Smith p106
Introduction to applied solid-state physics: J.E. Carroll p18
Introduction to v.l.s.i. systems: J. Mavor p18
Mechanisms of radiation effects in electronic materials: D.M. Taylor p15
Microwave solid state devices and applications: R.F. Mayo p15
Photoelectronic image devices: Advances in electronics and electron physics Vol.52: L. Marton, C. Marton p164
Physics of semiconductor laser devices: J.E. Carroll p16
Synchrotron radiation research: J.E. Carroll p17
The Hall effect and its applications: C.L. Chien, C.R. Westgate p107
Thermistors: E.D. Macklen p72